

**Temperature & Pressure Conversions WKSHT**

- 1.) 2.00 atm to mm Hg
- 2.) 115 kPa to atm
- 3.) 500. mm Hg to atm
- 4.)  $3.5 \times 10^4$  torr to mm Hg
- 5.) 35 °C to Kelvin
- 6.) 120 °C to Kelvin
- 7.) -25 °C to Kelvin
- 8.) -227 °C to Kelvin
- 9.) 1800. mm Hg to kPa
- 10.) 93,500 Pa to atm
- 11.) 950. torr to atm
- 12.) 0.490 atm to kPa
- 13.) standard temperature in Kelvin & Celsius
- 14.) 298 K to °C
- 15.) 100. K to °C
- 16.) 5 Kelvin to °C

**Ideal Gas Equation 1 WKSHT**

- 1.) What is the pressure exerted by 2.0 moles of an ideal gas when it occupies a volume of 12.0 L at 373 K?
- 2.) A flashbulb of volume 2.6 cm<sup>3</sup> contains O<sub>2</sub> gas at a pressure of 2.3 atm and a temperature of 26°C. How many moles of O<sub>2</sub> does the flashbulb contain?
- 3.) If 0.20 moles of helium occupies a volume of 64.0 liters at a pressure of 0.15 atm, what is the temperature of the gas?
- 4.) What is the volume of 0.35 moles of gas at 1.7 atm of pressure and a temperature of 100 K?
- 5.) What is the pressure of 1.5 moles of an ideal gas at a temperature of 150 K and occupies a volume of 20.0 liters?
- 6.) How many moles of gas occupy 16.2 liters at a pressure of 1.05 atm and a temperature of 37°C?

**Ideal Gas Equation 2 WKSHT**

- 1.) Calculate the volume of exactly 1.00 mole of a gas at STP.
- 2.) How many moles of nitrogen are present in 17.8 liters at 27 °C and 1.3 atm pressure?
- 3.) What is the pressure of 2.3 moles of carbon dioxide at 235 K occupying 23.7 liters of space?
- 4.) If there are  $4.02 \times 10^{23}$  molecules of N<sub>2</sub>O in a sample, how many moles are there?
- 5.) Using answer from #6, calculate the pressure of the gas if it occupies 27,025 cm<sup>3</sup> of space at 38.0 °C.
- 6.) How many grams of NH<sub>3</sub> are present in 35.0 dm<sup>3</sup> of space at 78.3 K and 0.853 atm of pressure?
- 7.) What is the temperature of 34.2 grams of sulfur dioxide occupying 30.0 liters of space and having a pressure of 800. torr?
- 8.) What is the pressure (in mm Hg) of 79.4 grams of boron trifluoride in a 20.0 L container at a temperature of 245 K?
- 9.) How many grams are in a sample of arsenic trifluoride that has a volume of 17,600 mL and a temperature of 92 °C and a pressure of 108,732 Pa?
- 10.) How many kilopascals of pressure are exerted by 23.8 liters of oxygen with a mass of 175 grams at a temperature of 58 °C?
- 11.) How many moles of argon are in 30.6 liters at 28 K and 658 mm Hg of pressure?
- 12.) How many grams of argon are found in # 11?

**Gas Law Problems WKSHT**

- 1.) The gas pressure in an aerosol can is 1.5 atm at 25 °C. Assuming that the gas inside obeys the ideal gas equation, what would the pressure be if the can were heated to 450 °C?
- 2.) A pocket of gas is discovered in a deep drilling operation. The gas has a temperature of 480 °C and is at a pressure of 12.8 atm. Assume ideal behavior. What volume of the gas is required to provide 18.0 L at the surface at 1.00 atm and 22 °C?
- 3.) A fixed quantity of gas is compressed at constant temperature from a volume of 368 mL to 108 mL. If the initial pressure was 5.22 atm, what is the final pressure?
- 4.) A gas originally at 15 °C and having a volume of 182 mL is reduced in volume to 82.0 mL while its pressure is held constant. What is its final temperature?
- 5.) At 36 °C and 1.00 atm pressure, a gas occupies a volume of 0.600 L. How many liters will it occupy at 0.0 °C and 0.205 atm?
- 6.) What is the temperature at which  $9.87 \times 10^{-2}$  moles occupies 164 mL at 0.645 atm?
- 7.) Chlorine is widely used to purify municipal water supplies and to treat swimming pool waters. Suppose that

the volume of a particular sample of  $\text{Cl}_2$  is 6.18 L at 0.90 atm and 33 °C. What volume will the  $\text{Cl}_2$  occupy at 107 °C and 0.75 atm?

- 8.) A gas exerts a pressure of 1.5 atm at 27 °C. The temperature is increased to 108 °C with no volume change. What is the gas pressure at the higher temperature?

**GAS STOICHIOMETRY (standard conditions) WKSHT. (assume STP conditions for all reactions)**

- 1.) How many liters of oxygen can be formed from the decomposition of 2.00 grams of  $\text{KClO}_3$ .  

$$\text{___ KClO}_3 \rightarrow \text{___ KCl} + \text{___ O}_2$$
- 2.) How many grams of  $\text{CaCO}_3$  are required to produce 6.00 L of  $\text{CO}_2$ ?  $\text{___ CaCO}_3 \rightarrow \text{___ CaO} + \text{___ CO}_2$
- 3.) Determine the volume of hydrogen gas produced when 0.250 moles of zinc react with excess HCl.  

$$\text{___ Zn} + \text{___ HCl} \rightarrow \text{___ ZnCl}_2 + \text{___ H}_2$$
- 4.) How many liters of nitrogen are required to combine with 3.0 L of hydrogen in the following reaction:  

$$\text{___ N}_2 + \text{___ H}_2 \rightarrow \text{___ NH}_3$$
- 5.) How many liters of oxygen are needed to combine with 7.0 liters of propane in the following reaction:  

$$\text{___ C}_3\text{H}_8 + \text{___ O}_2 \rightarrow \text{___ CO}_2 + \text{___ H}_2\text{O}$$
- 6.) From the following reaction:  $\text{___ CH}_4 + \text{___ O}_2 \rightarrow \text{___ CO}_2 + \text{___ H}_2\text{O}$   
 How many liters of  $\text{CO}_2$  are formed from 32.0 grams of  $\text{CH}_4$ ?
- 7.) How many grams of Na are needed to produce 5.0 L of hydrogen?  

$$\text{___ Na} + \text{___ H}_2\text{O} \rightarrow \text{___ NaOH} + \text{___ H}_2$$
- 8.) Determine the volume of  $\text{CO}_2$  produced from burning 0.750 moles of C.  $\text{___ C} + \text{___ O}_2 \rightarrow \text{___ CO}_2$

**DALTON'S LAW & GRAHAM'S LAW WKSHT.**

- 1.) Determine the partial pressure of each gas in a container with 2.0 moles of  $\text{N}_2$ , 3.0 moles of  $\text{O}_2$ , and 7.0 moles of  $\text{H}_2$  that has a total pressure of 850 mm Hg. (You will have 3 separate answers for this question.)
- 2.) A mixture of nitrogen and oxygen has a total pressure of 730 mm Hg. If the nitrogen has a partial pressure of 420 mm Hg, find the pressure of the oxygen.
- 3.) At an altitude of 30,000 ft., the total air pressure is only about 450. mm Hg. If the air is 21.0 % oxygen, what is the partial pressure of oxygen at this altitude?
- 4.) A mixture of 3 gases have the following pressures: oxygen = 355 mm Hg, helium = 468 mm Hg, & nitrogen = 560 mm Hg. Find the % of each gas in the mixture.
- 5.) Compare the rate of effusion of  $\text{CH}_4$  and  $\text{CO}_2$ . (Give answers to # 5, 6, & 7 to 3 SF's.)  
 (Your answers for # 5, 6, & 7 should read "\_\_\_ effuses \_\_\_ times faster than \_\_\_.")
- 6.) Compare the rate of effusion of helium and nitrogen.
- 7.) How much faster does ammonia ( $\text{NH}_3$ ) effuse than HCl?
- 8.) An unknown gas effuses 4.0 times faster than  $\text{O}_2$ . Find the molar mass of the unknown gas.

**UNIT 10 REVIEW & PRACTICE WORKSHEET**

- 1.) Convert 122.3 kPa to atm.
- 2.) Convert 94 °C to Kelvins.
- 3.) The volume of a gas at 725 torr is 275 mL. What is the volume of the sample at 950.0 torr?
- 4.) At STP, how many liters of hydrogen gas can be produced from the complete reaction of 27.45 grams of iron with excess  $\text{H}_2\text{O}$ ?  

$$\text{___ Fe} + \text{___ H}_2\text{O} \rightarrow \text{___ Fe}_3\text{O}_4 + \text{___ H}_2$$
- 5.) What is the temperature (in °C) of a 1.37 mole sample of carbon monoxide in a 18.3 liter container at 805 mm Hg?
- 6.) A mixture of gases contains 2.50 moles of hydrogen, 3.25 moles of nitrogen, and 1.75 moles of oxygen and the total pressure is 775 torr. What is the partial pressure of the nitrogen?
- 7.) A gas at 47.6 °C has a volume of 125 mL. What is the temperature of this sample of gas when its volume is 362 mL?
- 8.) Some rockets are fueled by the reaction of hydrazine ( $\text{N}_2\text{H}_2$ ) and hydrogen peroxide ( $\text{H}_2\text{O}_2$ ). How many liters of  $\text{H}_2\text{O}$  can be produced from the complete reaction of 37.7 liters of  $\text{N}_2\text{H}_2$ ?  

$$\text{___ N}_2\text{H}_2 + \text{___ H}_2\text{O}_2 \rightarrow \text{___ N}_2 + \text{___ H}_2\text{O}$$

- 9.) An unknown gas effuses 1.57 times faster than  $\text{N}_2\text{O}_3$ . What is the molar mass of the unknown gas?  
 10.) The pressure of a gas at  $35.6^\circ\text{C}$  is 114.3 kPa. What is the pressure when the temperature drops to  $17.3^\circ\text{C}$ ?  
 11.) A mixture of three gases (helium, neon, and argon) has a total pressure of 950. torr. If the helium and neon exert a pressure of 255 torr each, what is the partial pressure of the argon?  
 12.) A 21.5 liter sample of gas at 107 kPa of pressure has a temperature of  $27.2^\circ\text{C}$ . What is the pressure of the gas if it is transferred to a 32.6 liter container at  $44.1^\circ\text{C}$ ?

**EXTRA UNIT 10 REVIEW WORKSHEET**

- 1.) Convert the following pressure measurements to atmospheres.  
 (A) 151.98 kPa (B) 456 mm Hg (C) 912 torr  
 2.) What are the conditions for gas measurement at STP?  
 3.) The volume of a sample of methane gas measures 350. mL at  $27.0^\circ\text{C}$  and 810. mm Hg. What is the volume (in liters) at  $-3.0^\circ\text{C}$  and 650. mm Hg pressure?  
 4.) How many grams of nitrogen gas are contained in a 32.6 liter container at  $34.4^\circ\text{C}$  and 579 torr?  
 5.) A mixture of four gases in a container exerts a total pressure of 955 mm Hg. In this container, there are 4.50 moles of  $\text{N}_2$ , 4.25 moles of  $\text{CO}_2$ , 2.75 moles of  $\text{H}_2$ , and 2.00 moles of  $\text{O}_2$ . What is the partial pressure of  $\text{H}_2$ ?  
 6.) Compare the rates of effusion of carbon dioxide gas and carbon monoxide gas.  
 7.) An unknown gas effuses 1.37 times faster than  $\text{Cl}_2$  gas. What is the molar mass of the unknown gas?  
 8.) Given the following unbalanced reaction:  $\text{C}_5\text{H}_{12} + \text{O}_2 \rightarrow \text{CO}_2 + \text{H}_2\text{O}$   
 How many liters of oxygen are needed to produce 45.7 liters of  $\text{CO}_2$ ?  
 9.) Given the unbalanced equation:  $\text{Mg} + \text{O}_2 \rightarrow \text{MgO}$   
 How many liters of oxygen gas are required to produce 45.8 grams of magnesium oxide?  
 10.) An aerosol can contains gases under a pressure of 4.50 atm at  $20.0^\circ\text{C}$ . If the can is left on a hot, sandy beach, the pressure of the gases increases to 4.80 atm. What is the temperature on the beach (in  $^\circ\text{C}$ )?

## Ideal Gas Eqn. 1 wksht.

- 1.) 5.1 atm; 2.)  $2.4 \times 10^{-4}$  moles; 3.) 580 K; 4.) 1.7 L; 5.) 0.92 atm; 6.) 0.668 moles

## Ideal Gas Eqn. 2 wksht.

- 1.) 22.4 L; 2.) 0.94 moles; 3.) 1.9 atm; 4.) 0.668 moles; 5.) 0.631 atm;  
 6.) 78.9 g; 7.) 720. K; 8.) 897 mm Hg; 9.) 83 g; 10.) 632 kPa; 11.) 12 moles;  
 12.) 480 g

## Gas Law Problems wksht.

- 1.) 3.6 atm; 2.) 3.59 L or 3.6 L; 3.) 17.8 atm; 4.) 130 K or 130. K; 5.) 2.59 L or 2.6 L;  
 6.) 13.1 K; 7.) 9.2 L; 8.) 1.9 atm

## Gas Stoichiometry wksht.

- 1.) 0.551 L; 2.) 26.8 g; 3.) 5.60 L; 4.) 1.0 L; 5.) 35 L; 6.) 44.8 L;  
 7.) 10. g; 8.) 16.8 L

## Dalton's Law &amp; Graham's Law wksht.

- 1.)  $\text{N}_2 = 142$  mm Hg,  $\text{O}_2 = 213$  mm Hg,  $\text{H}_2 = 496$  mm Hg 2.) 310 mm Hg 3.) 94.5 mm Hg  
 4.)  $\text{O}_2 = 25.7\%$ ,  $\text{He} = 33.8\%$ ,  $\text{N}_2 = 40.5\%$  5.)  $\text{CH}_4$  effuses 1.66 times faster than  $\text{CO}_2$ .  
 6.) He effuses 2.65 times faster than  $\text{N}_2$ . 7.)  $\text{NH}_3$  effuses 1.46 times faster than HCl 8.) 2.0 g/mole

## Unit 10 Review &amp; Practice wksht.

- 1.) 1.207 atm 2.) 367 K 3.) 210. mL 4.) 14.7 L 5.)  $-101^\circ\text{C}$  6.) 336 torr  
 7.) 928 K 8.) 75.3 L 9.) 30.8 g/mole 10.) 108 kPa 11.) 440 torr 12.) 74.5 kPa

## Extra Unit 10 Review wksht.

- 1.) (A) 1.5003 atm (B) 0.600 atm (C) 1.20 atm 2.)  $0^\circ\text{C}$  (or 273 K) & 1 atm 3.) 0.393 L  
 4.) 27.6 g 5.)  $\text{H}_2 = 195$  mm Hg 6.) CO effuses 1.25 times faster than  $\text{CO}_2$ .  
 7.) 37.8 g/mole 8.) 73.1 L 9.) 12.8 L 10.)  $40.0^\circ\text{C}$

**DETERMINING MOLAR MASS USING THE IDEAL GAS EQUATION LAB**DISCUSSION & OBJECTIVE

Gases are one of the major products and/or reactants in many chemical reactions. Of all the states of matter, gases are the most affected by changes in temperature and pressure. The method of collecting the gas also affects the pressure of the gas. The relationship between the density of a gas and the pressure and temperature at which it is collected can be used to determine the molecular weight of the gas.

This lab activity will use the Ideal Gas Equation to experimentally determine the molar mass of a common gas - butane. Since real gases do not behave ideally at room temperature, the results will be expected to vary from the calculated molar mass. The idea of a dry gas versus one collected over water will also be involved.

MATERIALS

- butane lighter, large container, large graduated cylinder, thermometer, balance

SAFETY PRECAUTIONS

- basic safety precautions apply; **Do not try to ignite the gas after collecting it!**

PROCEDURE

1. Immerse the lighter completely in water. Then use a paper towel to dry the lighter as best as possible. Then weigh the butane lighter to the nearest hundredth of a gram. Record this value in the data table.
2. Fill the container about two-thirds to three-fourths full with water.
3. Place the graduated cylinder in the container and fill it with water also. Invert the cylinder and keep the opening of the cylinder under the surface of the water to prevent any water from leaving the cylinder. (You should not have any air bubbles at the top of the graduated cylinder.)
4. Check the lighter to be certain it is open as much as possible to allow gas to escape rapidly.
5. Place the top of the lighter up into the opening of the cylinder and depress the striker to allow the gas to bubble up into the cylinder. (Butane is not very flammable under water!)
6. Allow the gas to escape until about 250 mL of gas are collected. Quickly read the volume of the gas because butane is more soluble in water than most hydrocarbons. Record this volume.
7. Dry the lighter **completely** and weigh it again. Record this value.
8. Read the temperature of the water to the nearest tenth of a degree. Record this temperature.
9. Your instructor will provide you with the barometric pressure reading.

DATA TABLE

Mass of the lighter before collecting gas	_____ g
Mass of the lighter after collecting gas	_____ g
<b>Mass of gas collected</b>	_____ <b>g</b>
Volume of gas collected	_____ mL
<b>Volume measurement in Liters</b>	_____ <b>L</b>
Temperature of the water (and gas)	_____ °C
<b>Temperature measurement in Kelvins</b>	_____ <b>K</b>
Barometric pressure	_____ inches Hg
Barometric pressure conversion (1 inch = 25.4 mm)	_____ mm Hg
Vapor pressure of water at certain temperature *	_____ mm Hg
Pressure of the "dry" gas	_____ mm Hg
<b>Dry gas pressure measurement in atm</b>	_____ <b>atm</b>

\* See table of water vapor pressures on next page.

CALCULATIONS

The ideal gas equation is  $P V = n R T$

where P = pressure, V = volume, n = moles, R = ideal gas constant, and T = temperature.

**Make sure that your calculations are clearly shown in #3 below!** (Please note that clearly implies not only legibility, but also a logical progression of calculations. Numbers written haphazardly all over your paper is not a logical progression.)

**Experimental** molar mass = \_\_\_\_\_ g/mole

The formula for butane is C<sub>4</sub>H<sub>10</sub>. Calculate the theoretical molar mass based on this formula.

**Theoretical** molar mass = \_\_\_\_\_ g/mole

Calculate the % error:  $\frac{|\text{theoretical value} - \text{experimental value}|}{\text{theoretical value}} \times 100$

### LAB QUESTIONS

- Identify at least three (3) possible sources of experimental error. (The errors you include should stem from either an assumption that was made about the gas or lab conditions or something that you did or did not do during the lab. Remember, I know that you're intelligent young adults. "We read the insert name of measuring device here wrong." is not an acceptable source of experimental error. Think about your answers!)
- Read Step 6 in the PROCEDURE. What effect would leaving the gas in contact with the water for an excessive amount of time have on the experimental molar mass? (Would the experimental molar mass be higher or lower if you did this? Why? Think about your calculations.)
- Show **in detail** how you determined the experimental molar mass of butane, the theoretical molar mass of butane, and your percent error.

<b>Temperature (°C)</b>	<b>Water Vapor Pressure (mm Hg)</b>
17.0	14.5
17.5	15.0
18.0	15.5
18.5	16.0
19.0	16.5
19.5	17.0
20.0	17.5
20.5	18.1
21.0	18.6
21.5	19.2
22.0	19.8
22.5	20.4
23.0	21.1
23.5	21.7
24.0	22.4